



DISSERTATION BRIEF SERIES 2017:06  
**INCREASING ACCESS TO ABORTION – PERSPECTIVES ON  
PROVIDER AVAILABILITY FROM DIFFERENT SETTING**

Susanne Sjöström





Increasing access to abortion – perspectives on provider availability from  
different setting

Susanne Sjöström

Susanne Sjöström is an Obstetrician Gynecologist who defended her thesis "Increasing access to abortion – perspectives on provider availability in different settings" at Karolinska Institutet in January 2017. Her work has been published in Contraception, BMC Medical Education, Plos One, and is accepted for publication in BJOG. Her email address is [susannesjostrom@hotmail.com](mailto:susannesjostrom@hotmail.com).

More information and the thesis can be found at: <http://ki.se/nyheter/fler-vardgivare-for-saker-abort-kan-radda-tiotusentals-kvinnoliv>

The research was financed with grants from the Swedish Research Council, FORTE and SIDA and through the ALF agreement between Karolinska Institutet and Stockholm County Council. The principal supervisor for the thesis was Professor Kristina Gemzell Danielsson.

The Expert Group for Aid Studies - EBA - is a Government committee analysing and evaluating Swedish international development aid. This report can be downloaded free of charge at [www.eba.se](http://www.eba.se)

Printed by Elanders Sverige AB

Stockholm 2017

Cover design by Julia Demchenko

Unplanned pregnancies and unsafe abortion has existed since beginning of times and still causes substantial morbidity and mortality. During the last centuries women have been increasingly empowered in most societies and important advances has been made to enhance women's rights and life conditions. Important scientific advances have also been made in the field of reproductive health and rights with development of contraceptive methods as well as methods of safe abortion. This increased knowledge and awareness as well as changes in the legal framework has contributed to decreased maternal mortality caused by unplanned pregnancies and unsafe abortion, especially in high income countries and where the legal framework is permitting, but also increasingly so in lower income settings. Despite this progress access to abortion and contraception remains controversial in a global perspective and numbers of preventable maternal deaths are still high. Access to safe abortion has yet to reach its full potential.

The Global Strategy for Women's, Children's and Adolescents' Health 2016-2030 was launched in 2015 and aims to end all preventable deaths of women, children and adolescents, and to create an environment in which these groups not only survive, but thrive<sup>1</sup>. In addition 17 sustainable development goals (SDGs) were set including targets for all countries to lower the maternal mortality rate to 70 by 2030, and to increase the global access to sexual and reproductive healthcare.

#### **Facts:**

#### **Abortion and maternal mortality**

- Maternal Mortality is defined as the death of a woman while pregnant or within 42 days of termination of pregnancy, regardless of the duration and site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management but not from accidental or incidental causes<sup>1</sup>.
- Measuring unsafe abortion and abortion related maternal mortality is difficult due to stigma. It is estimated that at least 7.9% of all maternal death, or at least 23000 deaths occur yearly due to unsafe abortion.<sup>2 3</sup>
- Around 25 per cent of all pregnancies are estimated to have ended in abortion between 2010-2014<sup>4</sup>.

- Around 40% of all pregnancies were reported to be unintended in 2012<sup>5</sup>. In the US, where almost half of all pregnancies were unintended, 42% of those pregnancies ended in abortion<sup>6</sup>. Unintended pregnancies lead to unsafe abortion and abortion related morbidity and mortality, as well as unintended births which have negative impact on the mothers and children's future socio-economic status and mental health<sup>7</sup>.
- At least one in three women who want to avoid or delay an unintended pregnancy have limited or no access to modern contraception thus putting them at risk for unplanned pregnancy<sup>8</sup>.

### **Medical methods of abortion**

- Medical abortion using mifepristone and misoprostol, or misoprostol alone is recommended by the WHO for abortion in the first and second trimester and using the combined regimen complete abortion is attained in more than 95% of cases<sup>9, 10</sup>. Ultrasound or prophylactic antibiotics are not needed before treatment.
- Misoprostol, that is widely available under the brand name Cytotec® for prevention of gastric ulcer, is represented on WHO's list of essential medicines for treatment of induced abortion, incomplete abortion, labor induction, and prevention and treatment of post-partum hemorrhage<sup>11</sup>. In addition, it is recommended for cervical priming prior to surgical abortion. The current status of misoprostol approval and updated clinical guidelines is available at <http://www.misoprostol.org>.
- Use of misoprostol to induce abortion could reduce abortion related maternal mortality by 45%<sup>12</sup>.

### **Post-abortion care (PAC)**

- PAC is a method to treat complications of unsafe abortions. The model includes treatment for incomplete abortion with sublingual or oral misoprostol, contraceptive counseling, and management of sexually transmitted diseases when needed<sup>13</sup>. Success rates are high<sup>14</sup>. Treatment for PAC by midlevel providers is equally effective and safe as treatment by physicians in low resource settings<sup>15</sup>.

## **Midlevel providers**

- Task shifting and sharing of medical services with trained non-physician providers has become an important strategy to ensure medical services where there is shortage of healthcare providers and has the potential to increase access to safe abortion.
- The WHO recommends that medical abortion and treatment for incomplete abortion in the first trimester can be managed by trained auxiliary nurse midwives, nurses, midwives and associate clinicians <sup>16</sup>.

## **Barriers to safe abortion include**

- providers (including numbers of caregivers, knowledge and willingness to provide abortion and claim of conscientious objection) , legal proscriptions, poor infrastructure, costs, stigma and women's lack of knowledge.
- Legal restrictions
- Administrative barriers
- Infrastructure
- Costs both to women and health care systems
- Women knowledge
- Stigma

## **Summary of thesis**

The overall aim of my thesis was to study factors that influence access to comprehensive abortion care focusing on increasing provider availability in different settings. Four studies were included that explored factors influencing provision of, and treatment for abortion including post abortion care.

In India, where abortion has been legal since 1971 but where abortion-related maternal mortality rates remain high, we found that students commonly misunderstood the laws regulating abortion and were uninformed about available abortion methods. The students were hugely affected by the stigma connected with abortion and even though the majority

of medical students recognised that unsafe abortions are a huge problem in India, many claimed to be worried about reprisals and said that they were afraid to perform the procedure in their future practice<sup>17, 18</sup>.

A study conducted in Sweden showed that abortion care given by midwives is not only as safe but also much cheaper than when given by doctors<sup>19</sup>.

A systematic overview of randomised studies of abortion care also showed that women find that medical abortions and treatments for incomplete abortions administered by nurses and midwives are just as acceptable as those administered by doctors<sup>20</sup>.

### Conclusion and future implications

Despite the global ambition to decrease global maternal death, unsafe abortion, which is easily preventable, remains high. Why is progress so slow?

Our studies of medical student attitudes, although not necessarily generalizable to other settings, show that despite a national initiative and focus on including family planning and abortion in the medical curricula attitudes and knowledge remains poor. In order to influence intentions to provide abortions and we conclude that it is necessary to educate and conduct values clarification in order to secure future abortion providers. Increasing knowledge and improving attitudes is a continuous process and continued education in peer networks is important also for established health care providers.

The systematic review of midlevel provision of medical abortion and medical treatment of incomplete abortion added the evidence that treatment for abortion and incomplete abortion by non-doctors is as acceptable to women as provision by physicians. Women's acceptability of services is crucial when aiming to increase access to comprehensive abortion care and provides further support for implementation of midlevel provision of comprehensive abortion care. Previous studies on acceptability are few, and acceptability has not been systematically reviewed

We also showed that midlevel provision of medical abortion is cost-effective. Determining cost-effectiveness is important since most countries have limited healthcare budgets.

Overall, the context is an important determiner of access to comprehensive abortion care. When communicating research findings, it is important to reflect on who the audience is. Developing increasingly complex explanation models is not necessarily a way to create understanding among stake holders such as politicians and health system executives and clinicians.

In order to improve access to safe abortion care, it is necessary to increase knowledge among providers and women. Further expansion of the provider base for safe abortion is possible by including trained non-physicians or midlevel providers. This approach is cost-effective, effective and acceptable to women.

## Reference

1. WHO. WHO Maternal mortality Fact sheet 2016 Nov 2016 [cited 161202]; Available from: <http://www.who.int/mediacentre/factsheets/fs348/en>
2. Alkema L, Chou D, Hogan D, Zhang S, Moller AB, Gemmill A, et al. Global, regional, and national levels and trends in maternal mortality between 1990 and 2015, with scenario-based projections to 2030: a systematic analysis by the UN Maternal Mortality Estimation Inter-Agency Group. *Lancet* (London, England). 2016 Jan 30;387(10017):462-74.
3. Global Burden of Disease Group. Global, regional, and national levels of maternal mortality, 1990-2015: a systematic analysis for the Global Burden of Disease Study 2015. *Lancet* (London, England). 2016 Oct 8;388(10053):1775-812.
4. Sedgh G, Bearak J, Singh S, Bankole A, Popinchalk A, Ganatra B, et al. Abortion incidence between 1990 and 2014: global, regional, and subregional levels and trends. *Lancet* (London, England). 2016 May 11.
5. Sedgh G, Hussain R. Reasons for contraceptive nonuse among women having unmet need for contraception in developing countries. *Studies in family planning*. 2014 Jun;45(2):151-69.
6. Finer LB, Zolna MR. Declines in Unintended Pregnancy in the United States, 2008-2011. *The New England journal of medicine*. 2016 Mar 3;374(9):843-52.
7. Herd P, Higgins J, Sicinski K, Merkurieva I. The Implications of Unintended Pregnancies for Mental Health in Later Life. *American journal of public health*. 2016 Mar;106(3):421-9.
8. Wulifan JK, Brenner S, Jahn A, De Allegri M. A scoping review on determinants of unmet need for family planning among women of reproductive age in low and middle income countries. *BMC women's health*. 2016 Jan 15;16:2.
9. WHO. Safe Abortion: Technical and Policy Guidance for Health Systems. *Safe Abortion: Technical and Policy Guidance for Health Systems*. 2nd ed. Geneva: World Health Organization; 2012.
10. Bettahar K, Pinton A, Boisrame T, Cavillon V, Wylomanski S, Nisand I, et al. [Medical induced abortion]. *Journal de gynecologie, obstetrique et biologie de la reproduction*. 2016 Nov 03.
11. WHO. Model List of Essential Medicines. 2015.
12. Harper CC, Blanchard K, Grossman D, Henderson JT, Darney PD. Reducing maternal mortality due to elective abortion: Potential impact of misoprostol in low-resource settings. *International journal of gynaecology and obstetrics: the official organ of the International Federation of Gynaecology and Obstetrics*. 2007 Jul;98(1):66-9.

13. Rasch V. Unsafe abortion and postabortion care - an overview. *Acta obstetrica et gynecologica Scandinavica*. 2011 Jul;90(7):692-700.
14. Huber D, Curtis C, Irani L, Pappa S, Arrington L. Postabortion Care: 20 Years of Strong Evidence on Emergency Treatment, Family Planning, and Other Programming Components. *Global health, science and practice*. 2016 Sep 28;4(3):481-94.
15. Klingberg-Allvin M, Cleeve A, Atuhairwe S, Tumwesigye NM, Faxelid E, Byamugisha J, et al. Comparison of treatment of incomplete abortion with misoprostol by physicians and midwives at district level in Uganda: a randomised controlled equivalence trial. *Lancet (London, England)*. 2015 Jun 13;385(9985):2392-8.
16. WHO. Health Worker Roles in Providing Safe Abortion Care and Post-Abortion Contraception Executive summary. Geneva: World Health Organization; 2015.
17. Sjostrom S, Essen B, Syden F, Gemzell-Danielsson K, Klingberg-Allvin M. Medical students' attitudes and perceptions on abortion: a cross-sectional survey among medical interns in Maharashtra, India. *Contraception*. 2014 Jul;90(1):42-6.
18. Sjostrom S, Essen B, Gemzell-Danielsson K, Klingberg-Allvin M. Medical students are afraid to include abortion in their future practices: in-depth interviews in Maharashtra, India. *BMC medical education*. 2016;16(1):8.
19. Sjostrom S, Kopp Kallner H, Simeonova E, Madestam A, Gemzell-Danielsson K. Medical Abortion Provided by Nurse-Midwives or Physicians in a High Resource Setting: A Cost-Effectiveness Analysis. *PloS one*. 2016;11(6):e0158645.
20. Sjostrom S DM, Fønhus MS, Ganatra B, Gemzell-Danielsson K. Effectiveness, safety, and acceptability of non-physician provision of first-trimester medical termination of pregnancy performed by non-doctor providers: a systematic review. *BJOG : an international journal of obstetrics and gynaecology*. 2017.

## Previous DDB-reports

2017:05 *The Quest for Maternal Survival in Rwanda – Paradoxes in Policy and Practice*, Jessica Påfs

2017:04 *Effects of violent conflict on women and children. Sexual behaviour, fertility, and infant mortality in Rwanda and the Democratic Republic of Congo*, Elina Elveborg Lindskog

2017:03 *Moving upstream: gender norms and emerging sexual experiences in early adolescence*, Anna Kågesten

2017:02 *Strategy for supporting low-income countries in building a midwifery profession*, Malin Bogren

2017:01 *Exporting agrarian expertise: Development Aid at the Swedish University of Agricultural Sciences and its Predecessors, 1950-2009*, Karl Bruno

2016:10 *Beskattning och institutionell kvalitet*, Rasmus Broms

2016:09 *How does China challenge the IMF's power in Africa?* Johanna Malm

2016:08 *Anti-corruption reform – evolution or big bang?* Anders Sundell

2016:07 *Våldsamma hot och priset för ärlighet: En omvärdering av tjänstemäns val att ta mutor*, Aksel Sundström

2016:06 *Women in African Natural Resource Booms*, Anja Tolonen

2016:05 *Beyond the Buzzwords Approach to Gender in Humanitarian Aid*, Elisabeth Olivius

2016:04 *Child Education, Child Labor and the Agricultural Economy*, Elin Vimefall

2016:03 *Path dependent possibilities of transformation: Agricultural change and economic development in north and south Vietnam*, Montserrat López Jerez

2016:02 *The when and why of helping: Individual and organizational decision making from a psychological perspective*, Arvid Erlandsson

2016:01 *Going with the flow or swimming against the current? Interplay of formal rules, informal norms and NGO advocacy strategies*, Yumiko Yasuda

2015:07 *Aiding the End of Conflict? Reintegrating Ex-Combatants in Colombia*, Michael Jonsson

2015:06 *Causes of Communal Conflicts – Government Bias, Elites, and Conditions for Cooperation*, Johan Brosche

2015:05 *Stronger than Justice: Armed Group Impunity for Sexual Violence*, Angela Muvumba Sellström

2015:04 *Public participation in constitution building; an effective strategy for enhancing democracy?* Abrak Saati

2015:03 *Transformative Social Policy in Development? Demystifying Conditional Cash Transfers in Latin America*, Johan Sandberg

2015:02 *Aiding Science. An analysis of Swedish research aid policy 1973 – 2008*, Veronica Brodén Gyberg

2015:01 *Institutional impediments and reluctant actors – the limited role of democracy aid in democratic development*, Agnes Cornell